

R E M A R K S

Claims 1 to 14 and 17 to 22 as set forth in Appendix I of this paper are now pending in this case. Claim 1 has been amended and Claims 17 to 22 have been added as indicated.

Accordingly, applicants have revised the wording of Claim 1 to reflect that the first polymer material is a non-macroporous material. The respective nature of the first polymer material flows from the information provided on page 2, indicated lines 22 to 28, of the application. The respective section specifically points out that macroporous materials as addressed in the prior art merely take up odorants within their pores whereas the first polymer material employed in the claimed process absorbs the odorant into the polymer matrix or network<sup>1)</sup>. New Claim 17 essentially corresponds to Claim 1 with the difference that the swelling of the first polymer material in the odorant is further specified in accordance with the explanations given on page 2, indicated lines 22 to 25, of the application, and the characterization of the first polymer material as "non-macroporous" has been omitted. New Claims 18 to 22 correspond to Claims 7, 8, 11, 13 and 14, respectively, with the difference that the new claims depend either directly or indirectly upon Claim 17. No new matter has been added.

The Examiner rejected Claims 1 to 14 under 35 U.S.C. §103(a) as being unpatentable in light of the teaching of *Pougalan et al.* (US 4,734,278) when taken in view of the disclosure of *Klimesch et al.* (US 5,163,994). In this context, the Examiner points out that *Pougalan et al.* teach polyether-ester-amide type polymers which contain inter alia odorants<sup>2)</sup> as co-constituents for the production of plastic articles. The Examiner acknowledges that the resins of *Pougalan et al.* fail to be cross-linked and fail to exhibit a  $T_g$  of equal to or less than  $-10^\circ\text{C}$ <sup>3)</sup>. The Examiner contends that the teaching of *Klimesch et al.* shows that particles of cross-linked polymers having a  $T_g$  of equal to or less than  $-10^\circ\text{C}$  are known in the art as a carrier polymers for

---

1) Cf. page 2, indicated lines 4 to 8, of the application, where applicants further emphasize the distinction between adsorption of odorant in pores of polymers and the absorption into the polymer matrix.

2) Cf. col. 1, indicated lines 6 to 26, of US 4,734,278.

3) For completeness sake it is respectfully noted that the polymers of *Pougalan et al.* are resinous and -accordingly- not rubber-like.

crop protection agents including pheromones<sup>4</sup>), and concludes that it would have been obvious for a person of ordinary skill in the art to employ the carrier particles addressed by *Klimesch et al.* in the articles referenced by *Pougalan et al.*

However, the carrier particles addressed by *Klimesch et al.* differ from the particulate first polymer material which is defined in applicants' claims. On the one hand, the carrier particles of *Klimesch et al.* are essentially made up from divinylbenzene and a styrene<sup>5</sup>). As such, the cross-linked polymers of *Klimesch et al.*'s carrier particles do not have a  $T_g$  of equal to or less than  $-10^\circ\text{C}$  and cannot be regarded as exhibiting rubber properties<sup>6</sup>). A person of ordinary skill in the art could therefore not arrive at a process and/or article as defined in applicants' claims merely by replacing the polyether-ester-amide type polymers in the teaching of *Pougalan et al.* by the carrier particles of *Klimesch et al.*

With a particular view to the requirements of Claims 1 to 14 it is further respectfully noted that the carrier beads of *Klimesch et al.* are required to be macroporous<sup>7</sup>) whereas the first polymer material employed in accordance with applicants' invention is non-macroporous. The subject matter of applicants' Claims 1 to 14 therefore not only differs from the teaching of *Pougalan et al.* as modified by the Examiner in view of the disclosure of *Klimesch et al.* in that applicants' first polymer material has a  $T_g$  which is equal to or less than  $-10^\circ\text{C}$  but also differs from the teaching of *Pougalan et al.* as modified by the Examiner in view of the disclosure of *Klimesch et al.* in that the first polymer material is non-macroporous.

In light of the foregoing and the attached it is respectfully urged that the subject of applicants' Claims 1 to 14 and 17 to 22 cannot be regarded as being prima facie obvious in light of the teaching of *Pougalan et al.* when taken in view of the disclosure of *Klimesch et al.* favorable reconsideration of the Examiner's position and withdrawal of the respective rejection of applicants' claims under 35 U.S.C. §103(a) is therefore respectfully solicited.

---

4) Cf. in particular Examples 16 to 18, col. 8, indicated line 60, to col. 9, indicated line 23, of *US 5,163,994*.

5) Cf. col. 2, indicated line 64, to col. 3, indicated line 24, of *US 5,163,994*.

6) Polystyrene has a  $T_g$  of about  $100^\circ\text{C}$  and the  $T_g$  generally increases with decreasing flexibility of the polymer chain. Cf. the marked sections in the enclosed copy of *Fried "Polymer Science and Technology"*, Prentice Hall 1995, pages 136, 156 and 157.

7) Cf. col. 2, indicated lines 50 to 53, of *US 5,163,994*.

REQUEST FOR EXTENSION OF TIME:

It is respectfully requested that a one month extension of time be granted in this case. A check for the \$110.00 fee is attached.

Please charge any shortage in fees due in connection with the filing of this paper, including Extension of Time fees, to Deposit Account No. 11.0345. Please credit any excess fees to such deposit account.

Respectfully submitted,

KEIL & WEINKAUF



Herbert B. Keil

Reg. No. 18,967

1350 Connecticut Ave, N.W.  
Washington, D.C. 20036  
(202) 659-0100

Encl.: THE LISTING OF CLAIMS (Appendix I)

*Fried "Polymer Science and Technology"*, Prentice Hall 1995, pages 136, 156 and 157

HBK/BAS

PTO'S COPY

re ANDERLIK et al  
SN 09/762,396  
PF ++49256

Keil + Weinkeuf



# / Polymer Science and Technology

Joel R. Fried  
*University of Cincinnati*



Prentice Hall PTR  
Englewood Cliffs, New Jersey 07632

**BEST AVAILABLE COPY**

**Library of Congress Cataloging-in-Publication Data**

Fried, Joel R.

Polymer science and technology / Joel R. Fried.

p. cm,

Includes bibliographical references and index.

ISBN 0-13-685561-X

1. Polymers. 2. Polymerization. I. Title

QD381.F73 1995

94-22289

668.9--dc20

CIP

Editorial/production supervision: *Ann Sullivan*

Cover design: *Wanda Lubelska*

Manufacturing manager: *Alexis R. Heydt*



©1995 by Prentice Hall PTR

Prentice-Hall, Inc.

A division of Simon and Schuster

Englewood Cliffs, New Jersey 07632

The publisher offers discounts on this book when ordered in bulk quantities. For more information, contact:

Corporate Sales Department

PTR Prentice Hall

113 Sylvan Avenue

Englewood Cliffs, NJ 07632

Phone: 800-382-3419, 201-592-2498

Fax: 201-592-2249

email: dan\_rush@prenhall.com

All product names mentioned herein are the trademarks of their respective owners.

All rights reserved. No part of this book may be reproduced, in any form or by any means, without permission in writing from the publisher.

Printed in the United States of America

10 9 8 7 6 5 4 3 2 1

**ISBN 0-13-685561-X**

Prentice-Hall International (UK) Limited, *London*

Prentice-Hall of Australia Pty. Limited, *Sydney*

Prentice-Hall Canada Inc., *Toronto*

Prentice-Hall Hispanoamericana, S.A., *Mexico*

Prentice-Hall of India Private Limited, *New Delhi*

Prentice-Hall of Japan, Inc., *Tokyo*

Simon & Schuster Asia Pte. Ltd., *Singapore*

Editora Prentice-Hall do Brasil, Ltda., *Rio de Janeiro*

**BEST AVAILABLE COPY**

DiMarzio have suggested that there is a temperature,  $T_2$ , at which the conformational entropy,  $S_c$  (a measure of the total number of ways of arranging a polymer molecule or collection of chains), goes to zero. It can be shown (see Section 5.1.5) that this equilibrium-state temperature lies approximately 52°C below the experimentally-measured  $T_g$ , which depends upon the *rate* at which the polymer sample is heated or cooled during measurement. As discussed in Chapter 3, polymeric chains can exist in a large number of possible spatial conformations in solution or in the melt state. Each of these conformations corresponds to a different energy state. As the melt is cooled, fewer high-energy conformations are accessible. If the melt is cooled infinitely slowly to assure the attainment of equilibrium, eventually a temperature will be reached (i.e.,  $T_2$ ) at which only the lowest-energy conformation is available. At this point, the conformational entropy will be zero.

The glass-transition temperature of amorphous polymers can vary widely with the chemical structure of the polymer chain. As illustrated by representative values of  $T_g$  for several important polymers given in Table 4.2,  $T_g$  can vary over a range of 300°C or more. In general, polymers with flexible backbones and small substituent groups (e.g., polyethylene and polydimethylsiloxane) have low  $T_g$ , while those with rigid backbones, such as polymers containing main-chain aromatic groups (e.g., polysulfone), have high  $T_g$ . A more detailed discussion of structure-property relationships for the thermal transitions of polymers is given in Section 4.3.3.

**TABLE 4.2 REPRESENTATIVE VALUES OF THE GLASS-TRANSITION TEMPERATURE OF SOME AMORPHOUS POLYMERS**

Polymer	$T_g$ (°C)
Polydimethylsiloxane	-123
Poly(vinyl acetate)	28
Polystyrene	100
Poly(methyl methacrylate)	105
Polycarbonate	150
Polysulfone	190
Poly(2,6-dimethyl-1,4-phenylene oxide)	220

### 4.1.3 Secondary-Relaxation Processes


As previously discussed, secondary-relaxation processes are small-scale molecular motions that can occur in the amorphous glassy state. These can involve limited motions of the main chain or rotations, vibrations, or flips of substituent





resins. A listing of other important ASTM standards is given in Appendix C at the end of this text.

### 4.3.3 Structure-Property Relationships

As suggested by data that were given in Tables 4.2 and 4.3, both  $T_g$  and  $T_m$  are strongly influenced by the chemical structure of the repeating unit. In general, both  $T_g$  and  $T_m$  increase with decreasing flexibility of the polymer chain. Flexibility decreases with increasing aromatic composition of the main chain or by incorporation of bulky substituent groups or nonrotational (e.g., unsaturated) groups in the main chain. This is illustrated by the relation of  $T_m$  to repeating-unit structure for an analogous series of polyesters in Table 4.8. Replacement of the aliphatic sequence  $(CH_2)_4$  of compound A with an aromatic ring (compound B) increases  $T_m$  by 220°C. Replacement by two coupled aromatic rings (compound C) further increases  $T_m$  by 85°C, but incorporation of a flexible  $(CH_2)_2$  group between aromatic rings lowers  $T_m$  by 135°C (compound D). By contrast, incorporation of a nonrotational, unsaturated  $-CH=CH-$  linkage between aromatic rings (compound E) results in the highest- $T_m$  polyester.


**TABLE 4.8 EFFECT OF BACKBONE STRUCTURE ON THE CRYSTALLINE-MELTING TEMPERATURE OF POLYESTERS DERIVED FROM ETHYLENE GLYCOL ( $HOCH_2CH_2OH$ )**





Compound	Main-Chain Unit, R	$T_m$ (°C)
A	$\text{—(CH}_2\text{)}_4\text{—}$	50
B		270
C		355
D		220
E		420

Chain flexibility is particularly important in determining  $T_g$ . Flexible chains, as may be obtained by incorporating an oxygen atom into the main chain (e.g., polydimethylsiloxane), are capable of large-scale molecular motions at very low temperatures and, therefore, have low  $T_g$ . Bulky substituent groups hinder chain rotation and therefore raise  $T_g$  as shown by structure- $T_g$  comparisons for several vinyl polymers in Table 4.9.

**TABLE 4.9 GLASS-TRANSITION TEMPERATURES OF SELECTED VINYL POLYMERS**



Polymer	Substituent Group, R	$T_g$ (°C)
Polyethylene	H	-125
Polypropylene (atactic)	CH <sub>3</sub>	-20
Poly(vinyl chloride)	Cl	89
polyacrylonitrile	C≡N	100
Polystyrene		100
Poly(α-vinyl naphthalene)		135

For comparably sized substituent groups, increasing polarity, which may enhance intermolecular interactions, can elevate  $T_g$ . This is illustrated by  $T_g$  data for the vinyl polymers — polypropylene ( $T_g = -20^\circ\text{C}$ ), poly(vinyl chloride) ( $T_g = 89^\circ\text{C}$ ), and polyacrylonitrile ( $T_g = 100^\circ\text{C}$ ) — given in Table 4.9. As illustrated in Table 4.10, increasing flexibility of the side group can lower  $T_g$ , as is evident by comparison of the chemical structures of poly(methyl methacrylate), poly(ethyl methacrylate), and poly(propyl methacrylate). Syndiotacticity increases  $T_g$  as illustrated by data for poly(methyl methacrylate) (PMMA) prepared with different tacticities: *i*-PMMA ( $T_g = 45^\circ\text{C}$ ), *a*-PMMA ( $T_g = 105^\circ\text{C}$ ), and *s*-PMMA ( $T_g = 115^\circ\text{C}$ ). *Trans* geometric isomers have higher  $T_g$  than *cis*-isomers, as for example in the case of *cis*-polybutadiene ( $T_g = -108^\circ\text{C}$ ) compared to *trans*-polybutadiene ( $T_g = -18^\circ\text{C}$ ) or